

World Climate Research Programme

Moving Towards Future

WCRP Progress and Plans

Ghassem R. Asrar





Mission & Objectives



World Climate Research Programme coordinates climate research, modeling and analysis to improve;

(1) climate predictions and

(2) our understanding of human influence on climate

"for use in an increasing range of practical applications of direct relevance, benefit and value to society" (WCRP Strategic Framework 2005-2015).






Earth System Science Approach

The Earth System Science Partnership consists of four international global environmental change (GEC) research programs for the integrated study of the Earth system, the changes that are occurring to the system and the implications of these changes for global and regional sustainability.











Implementation Plan

The Interdisciplinary Nature of Climate Science

- Atmosphere, Oceans and Climate
- Cryosphere and Climate
- Atmospheric Chemistry and Dynamics
- Water, Energy and Climate


Meeting the Information Needs of Society

Activities in Support of Key Deliverables

- Decadal Variability, Predictability and Prediction
- Sea-Level Variability and Change
- Climate Extremes
- Atmospheric Chemistry and Dynamics
- Centennial Climate Change Projections
- Seasonal Climate Prediction

Activities in Support of WCRP Integrating Themes


- Climate-Quality Data Sets and Analyses
- A New Generation of Climate System Models
- Next Generation of Climate Experts: Developing Capacity Regionally and Globally








CSU





Observations & Trends

GPCP Global precipitation 1979-2008



GEWEX the Radiation Panel develops climate data records of global water and energy variables such as clouds, radiation, aerosols, precipitation etc., complete with metadata and error analysis.

These are the best global observations consisting of a blend of satellite and in-situ observations covering in most cases more than 25 years.

These products are periodically compared and assessed against other products in an open and transparent fashion and are available to everyone without restrictions.





IIRI

Global Multi-Year Averages

							NASA/GEWEX SRB			
	Ohmura &		Trenberth		Zhang &		Release 3.0/2.5*			
	Gilgen (1993)		et al. (2009)		Rossow (2004)		(NASA LaRC)			
Parameter	GEBA Surf.		CERES and		21-Year Mean		24-Year Mean			
	Obs.		Models		(1984-2004)		(July 1983 - June 2007)			
							SW, LW		SW, LW QC	
	Flux	% F ₀	Flux	% F ₀	Flux	% F ₀	Flux	% F ₀	Flux	% F ₀
SW Down	169.0	49.4	184	53.9	189.2	55.4	188.7	55.2	182.2	53.3
SW Net	142.0	41.6	161	47.2	165.9	48.5	166.6	48.7	159.7	46. 7
LW Down	345	100.9	333	97.6	343.8	100.6	343.2	100.4	347.5	101.7
LW Net	-40.0	-11.7	-63	-18.5	-49.6	-14.5	-52.8	-15.4	-51.2	-15.0
Total Net	102.0	29.8	98	28.7	116.3	34.0	113.8	33.3	108.5	31.7
SW CRF					-53.0	-15.5	-58.8	-17.2	-60.9	-17.8
LW CRF			46	13.5	29.5	8.6	35.3	10.3	34.3	10.0
Total CRF					-23.5	-6.9	-23.5	-6.9	-26.6	-7.8

 S_0 = 1365 Wm⁻² for Trenberth et al. and 1367 Wm⁻² for all others *GEWEX LW values are Rel.-2.5 and 23-year averages (Jul1983-Jun2006)




Open Access to Results

Climate Projections

Interest in CMIP3 results continues unabated!

- More than 550 peerreviewed publications.
- ~1 Pbyte of data downloaded.
- More than 3,000 registered users.





Modeling Research

Climate Projections


Progress Since CMIP3:

- More experiments to quantify model sensitivity and feedbacks.
- Earth System Models interactive carbon cycle, atmospheric chemistry, ozone chemistry, land-surface schemes.
- Increased Resolution including NWP models, eddy permitting ocean models, stratosphere-resolving atmospheric models
- Decadal prediction experiments to test a variety of initialization techniques





Modeling Research



CMIP5 Long-term Simulations

Cloud feedback experiments

Paleoclimate experiments

ESM carbon cycle feedback experiments with concentration-driven ESMs as well as emission-driven ESMs

SPARC interactive atmospheric chemistry, ozone and aerosols, air quality

Fast and slow feedback experiments

Green: Coupled carbon-cycle climate models only







Open Access to Results


Climate Projections CMIP5 - Unprecedented International Coordination

CMIP5 participating groups (20+ groups; ~40 models).

2.3Pbytes of model output expected - 100 times greater than CMIP3.

Model data will be accessed by the Earth System Grid - output will be served by federated centers around the world and will appear to be a single PCMDI archive.

The archive will become available to analysts from Spring 2011.







Accomplishments

Seasonal Forecast

WCRP Climate-system Historical Forecast Project (CHFP)

- Assess seasonal prediction capabilities using the best available models and data for initialization;
- Experimental framework for focused research on how various components of the climate system interact and affect one another; and
- Testbed for evaluating IPCC class climate models in seasonal prediction mode. NINO34





Nino3.4 skill scores from CHFP participating groups The multi-model ensemble (MME) generally give improved skill over longer lead times, compared to persistence and individual models




Modeling Research

Seasonal Forecast

Example of how CHFP data can be used to understand impact of surface air temperature trends on seasonal forecast skill.

The upper right shows the raw forecast skill and the lower right show how much of the skill is due to the trend.






Modeling Research


Seasonal Forecast

Land initialization impacts on skill increase dramatically when conditioned on the size of the initial soil moisture anomaly

> Temperature forecasts: Increase in skill due to land initialization (JJA) (conditioned on strength of local initial soil moisture anomaly)







Boening et al., Nature Geosciences, 2008


Argo floats deployed in the Antarctic Circumpolar Current (ACC) detect coherent hemispheric-scale warming and freshening trends that extend to depths of more than 1000 m.

Southern Hemisphere westerlies between 30S and 60S have increased over the past decades and results suggest that the ACC transport and meridional overturning in the Southern Ocean are insensitive to decadal changes in wind stress.





Arctic Sea-Ice Variability and Change








Sea-Level Variability and Change

Focus 1 :

Improve understanding of the risk of higher mean sea-level rise in the 21st century, and Antarctica and Greenland contributions.







Focus 2 : Regional sea-level change and coastal impacts.






Scientific UNEP Assessment of Ozone Depletion 2010

World Climate Research Programme

The shaded areas in panels (c)-(e) came from CCMVal based on sophisticated statistical analysis of model variability and trends

In past Assessments, estimates of model ranges had been pure guesswork








WCC-3 Conference Statement

- Great recognition of scientific progress made through WCRP and its associated activities
- Call for major strengthening of observations and research

Support the development of the Global Framework for Climate Services



Global Framework for Climate Services







WCC3 – Expert Segment




Called for major strengthening of the essential elements of a global framework for climate services:

- The Global Climate Observing System and all its components and associated activities; and provision of free and unrestricted exchange and access to climate data;
- The World Climate Research Programme, underpinned by adequate computing resources and increased interaction with other global climate relevant research initiatives.
- Climate services information systems taking advantage of enhanced existing national and international climate service arrangements in the delivery of products, including sectororiented information to support adaptation activities;
- Climate user interface mechanisms focussed on building linkages and integrating information, at all levels, between the providers and users of climate services; and
- Efficient and enduring capacity building through education, training, and strengthened outreach and communication.





ICSU Grand Challenges



Grand Challenges in Earth System Science for Global Sustainability.

The concentric circles represent the disciplinary research needed in the social, natural, health and engineering sciences and the humanities that must be carried out alongside interdisciplinary and transdisciplinary research in order to address the challenges. The lines linking the grand challenges show that progress in addressing any challenge will require progress in addressing each of the others.





What Is Needed?



World Climate Conference-3 and ICSU Global Sustainability acknowledge WCRP past contributions and identify challenges and opportunities for the future.




Need for more flexibility/agility to respond to expanding climate information needs:

- At regional scale
- For key sectors of global economy
- For impacts, adaptation, vulnerability, and risk assessment.




CORDEX domains



Annual Precipitation Cycle (10W-1)


All RCMs produce a version of the WAM onset with different degree of distortion

Ensemble mean corrects individual biases





Health Impact : Malaria Incidence over Africa: 2000-2008



Mean annual malaria Incidence (%) based on the Liverpool Malaria Model (LMM) for the period 2000-2008.

The LMM has been driven by different observations (NCEP, ERAINTERIM and a hybrid run using GPCP rainfall and ERAINT temperatures) and one RCM from the CORDEX project (SMHI-RCA35, ERAINT control exp).

The RCM fairly well reproduces the mean annual distribution of malaria incidence with respect to the GPCP-ERAINT run.



What Is Needed?

Need Coordination of:

Observations and analysis



Model development, evaluation and experiments



Processes and understanding



Climate Information/applications & education







WCRP Research Priorities Include;



Quantify and communicate uncertainties in climate change information/knowledge;



Focus on regional and intera-seasonal to inter-annual, and decadal climate prediction/projection;



Address climate information needs for adaptation planning, mitigation strategies, and assessing risks of climate variability and change;



Promote and enable timely, reliable, and easy access to climate information and knowledge; and



Support education, training and development of next generation of climate experts.

WCRP Open Science Conference 24-28 October 2011 Denver, Colorado, USA http://conference2011.wcrp-climate.org

> Promoting, Facilitating and Coordinating Climate Research in Service to Society

WCRP Open Science Conference

Daily Conference Themes:

Emphasizing the integrative aspects of WCRP

Monday:	Climate Research in Service to Society				
Monday:	The Climate System Components and their Interactions				
Tuesday:	Observation and Analysis of the Climate System				
Wednesday	: Assessing and Improving Model and Predictive Capabilities				
Thursday:	Climate Synthesis and Assessments				
Friday:	Translating Scientific Understanding of Climate System into				
	Climate Information for Decision Makers				
Friday:	The Future of WCRP				

http://conference2011.wcrp-climate.org